




**gerade verzahnt**, Verzahnung gefräst, 20° Eingriffswinkel  
**Straight tooth system**, milled teeth, 20° transverse pressure angle



<b>weich / soft</b>
X 8 CrNiS 18 9 1.4305
Verz.-Qual. Gearing grade
<b>8 e 25</b>

Bestell-Nr. Order code	Zähnezahl N° of teeth z	d	d <sub>k</sub>	d <sub>1</sub>	d <sub>N</sub>	b <sub>1</sub>	b <sub>2</sub>	kg
<b>Modul / Module 1</b>								
06 10 012	12	12,0	14,0	4	10	10	16	0,01
06 10 015	15	15,0	17,0	5	12	10	16	0,02
06 10 018	18	18,0	20,0	6	15	10	16	0,03
06 10 020	20	20,0	22,0	6	15	10	16	0,04
06 10 025	25	25,0	27,0	8	20	10	16	0,05
06 10 030	30	30,0	32,0	8	25	10	18	0,08
06 10 040	40	40,0	42,0	8	25	10	18	0,12
06 10 050	50	50,0	52,0	10	30	10	20	0,20
06 10 060	60	60,0	62,0	10	40	10	22	0,30
06 10 070	70	70,0	72,0	10	40	10	22	0,40
06 10 080	80	80,0	82,0	10	50	10	22	0,55
06 10 100	100	100,0	102,0	12	60	10	22	0,85
<b>Modul / Module 1,5</b>								
06 15 012	12	18,0	21,0	8	15	15	25	0,03
06 15 015	15	22,5	25,5	10	18	15	25	0,05
06 15 018	18	27,0	30,0	10	22	15	25	0,08
06 15 020	20	30,0	33,0	10	25	15	25	0,10
06 15 025	25	37,5	40,5	10	25	15	30	0,17
06 15 030	30	45,0	48,0	10	30	15	30	0,26
06 15 040	40	60,0	63,0	10	40	15	30	0,50
06 15 050	50	75,0	78,0	10	50	15	30	0,73
06 15 060	60	90,0	93,0	12	60	15	30	1,10
<b>Modul / Module 2</b>								
06 20 212	12	24,0	28,0	10	20	20	31	0,07
06 20 215	15	30,0	34,0	12	25	20	31	0,12
06 20 218	18	36,0	40,0	12	30	20	31	0,18
06 20 220	20	40,0	44,0	12	30	20	31	0,22
06 20 225	25	50,0	54,0	12	30	20	31	0,25
06 20 230	30	60,0	64,0	12	40	20	31	0,48
06 20 240	40	80,0	84,0	12	50	20	31	0,85
06 20 250	50	100,0	104,0	12	50	20	31	1,20
06 20 260	60	120,0	124,0	12	70	20	31	1,85
<b>Modul / Module 3</b>								
06 30 212	12	36,0	42,0	12	25	30	40	0,21
06 30 215	15	45,0	51,0	12	35	30	40	0,38
06 30 218	18	54,0	60,0	12	45	30	40	0,60
06 30 220	20	60,0	66,0	15	45	30	40	0,68
06 30 225	25	75,0	81,0	15	50	30	40	1,05
06 30 230	30	90,0	96,0	20	50	30	40	2,70
06 30 240	40	120,0	126,0	20	70	30	45	3,50
06 30 250	50	150,0	156,0	20	80	30	45	4,20

Eine Weiterbearbeitung (Bohrung ausdrehen, nuten, Gewinde anbringen etc.) ist kurzfristig möglich.  
Further finishing (turning bores, keywaying, threading, etc.) is possible within short time.