




Helical Tooth System, left-hand, 19° 31' 42", prebored



Soft
Ck45 1.0503
Gearing Grade 8 e 25


Order Code	N° of Teeth	b ₁	b	d	d _k	d ₁ ^(J8)	d _N	kg
Module 1.5								
21 15 520	20	17	30	31.83	34.8	9	25	0.14
21 15 525	25	17	30	39.79	42.8	9	30	0.22
Module 2								
21 20 520	20	28	35	42.44	46.4	9	30	0.35
21 20 525	25	28	35	53.05	57.1	12	35	0.54
21 20 530	30	28	35	63.66	67.7	12	40	0.76
Module 3								
21 30 520	20	30	50	63.66	69.7	14	45	0.99
21 30 525	25	30	50	79.58	85.6	14	60	1.60
Module 4								
21 40 515	15	40	60	63.66	71.7	16	50	1.10
21 40 520	20	40	60	84.88	92.9	16	60	2.21
21 40 525	25	40	60	106.10	114.1	16	75	3.45

Further finishing (turning bores, keywaying, threading, etc.) is possible within short time.





Helical Tooth System, left-hand, 19° 31' 42", prebored



Soft
Ck45 1.0503
Gearing Grade 8 e 25

Order Code	N° of Teeth	b ₁	b	d	d _k	d ₁ ^(J8)	d _N	kg
Module 5								
21 50 520	20	50	70	106.10	116.1	20	70	4.0
21 50 525	25	50	70	132.60	142.6	20	80	6.2
Module 6								
21 60 520	20	60	80	127.30	139.3	20	90	7.0
21 60 525	25	60	80	159.20	171.2	20	110	10.8
Module 8								
21 80 520	20	80	120	166.08	182.0	40	120	15.8
Module 10*								
21 10 518	18	100	150	190.99	211.0	40	150	32.7
Module 12*								
21 12 518	18	130	180	229.18	253.18	40	170	47.2

* With threads for handling

Further finishing (turning bores, keywaying, threading, etc.) is possible within short time.

